

## EAST Search History

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|---|------------------|---------|------------------|
| S1    | 82    | select with region with synchroniz\$5                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/02/05 08:42 |
| S2    | 33    | (absolute near2 value) same<br>(accumulat\$3) same synchron\$7<br>same code | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/02/08 11:23 |
| S3    | 10915 | 375/354,316,355,356,359,361,362,<br>363,365,366,367,368.ccls.               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/02/05 15:23 |
| S4    | 756   | S3 and (synchron\$7 near2 code)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/02/05 08:59 |
| S5    | 128   | S4 and ((synchron\$7 near2 code)<br>with correlat\$3)                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/02/05 09:00 |
| S6    | 681   | S3 and (synchron\$7 near2 word)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/02/05 08:59 |
| S7    | 20    | S4 and ((synchron\$7 near2 word)<br>with correlat\$3)                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2007/02/05 09:00 |
| S8    | 20    | ("5420850"   "5568473"  <br>"5822359").PN. OR ("6480558").<br>URPN.         | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ              | ON      | 2007/02/05 14:18 |
| S9    | 3     | (initial near2 synchroniz\$5) with<br>select\$3 with region                 | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ              | ON      | 2007/02/05 14:43 |

## EAST Search History

|     |      |  |   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| S10 | 0    | (initial near2 synchroniz\$5) with (regoin or position) with (high near3 power near3 distribution)                             | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 14:44 |
| S11 | 0    | (synchroniz\$5) with (regoin or position) with (high near3 power near3 distribution)   | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 14:44 |
| S12 | 2    | (synchroniz\$5) with (high near3 power near3 distribution)   | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 14:46 |
| S13 | 1037 | (synchroniz\$5) with (high near3 power)  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 14:46 |
| S14 | 1    | S13 and (accumulat\$3 with calculator with adder with estimat\$3)  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 15:21 |
| S15 | 1    | S13 and ((memory or buffer or register or stor\$3) with calculator with adder with estimat\$3)                                 | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 15:22 |
| S16 | 16   | estimat\$3 with DWPTS  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 14:49 |
| S17 | 0    | ((memory or buffer or register or stor\$3 or accumulator) with (ansolute near2 value) with adder with (estimat\$3 or locator)) | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/05 15:23 |
| S18 | 12   | S3 and (TD near2 SCDMA)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 15:28 |
| S19 | 14   | S3 and ((TD near2 SCDMA) or (UMTS near2 TDD))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 15:57 |
| S20 | 2    | S19 not S18  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 15:47 |
| S23 | 2    | "5638375".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 15:49 |

## EAST Search History

|     |      |   |   |     |    |                  |
|-----|------|---|---|-----|----|------------------|
| S24 | 1058 | ((TD near2 SCDMA) or (UMTS near2 TDD))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 15:57 |
| S27 | 9    | S24 and ((timing information) with synchroniz\$5)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 16:08 |
| S28 | 9    | S24 and ((timing information) with synchroniz\$5)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 16:09 |
| S29 | 18   | S24 and ((location or timing) with ((synchroniz\$5 or sync) near2 (word or code)))                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 16:37 |
| S30 | 0    | ("2005/0053048").URPN.  | USPAT   | ADJ | ON | 2007/02/05 16:29 |
| S31 | 5    | frame synchroniz\$5 and S24   | USPAT   | ADJ | ON | 2007/02/05 16:29 |
| S32 | 103  | estimat\$3 with (location or timing) with ((sync or synchroniz\$5) near4 (code or word))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/05 16:38 |
| S33 | 25   | estimat\$3 with (location or timing) with ((sync or synchroniz\$5) near4 (code or word)) with frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 08:57 |
| S34 | 1517 | 375/342,343.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:02 |
| S35 | 205  | S34 and ((sync or synchroniz\$5) near2 (code or word))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:26 |

## EAST Search History

|     |      |  |   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| S36 | 2    | S35 and (??PTS or (pilot near3 time near3 slot))     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:30 |
| S37 | 5    | S35 and (power near3 distribution)                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:34 |
| S38 | 1588 | preamble and pilot and synchroniz\$5                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:35 |
| S39 | 103  | S38 and (select\$3 with region)                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:35 |
| S40 | 10   | S39 and ((sync or synchron\$7) near3 (code or word)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:42 |
| S41 | 4229 | initial near3 synchronization                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:43 |
| S42 | 39   | S41 and (power near3 distribution)                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:43 |
| S43 | 4    | S42 and time division                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:44 |

## EAST Search History

|     |      |   |   |     |    |                  |
|-----|------|---|---|-----|----|------------------|
| S44 | 137  | (stor\$3 or sav\$3) same (absolute near3 value) same (add\$3 or sum\$4) same (estimat\$3 or locat\$3) same code           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:46 |
| S45 | 247  | (stor\$3 or sav\$3) same (absolute near3 value) same (add\$3 or sum\$4) same (estimat\$3 or locat\$3) same (code or word) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 09:46 |
| S46 | 25   | S45 and (pilot or preamble)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:47 |
| S47 | 1692 | per near3 correlat\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:50 |
| S48 | 72   | S47 and (power near2 (distribution or profile or spectrum))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:50 |
| S49 | 11   | S48 and ((sync or synchroniz\$5) near2 (code or word))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:50 |
| S50 | 5447 | (pre or prior) near3 correlat\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:50 |
| S51 | 340  | S50 and (power near2 (distribution or profile or spectrum))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:50 |

## EAST Search History

|     |      |   |   |     |    |                  |
|-----|------|---|---|-----|----|------------------|
| S52 | 48   | S51 and ((sync or synchroniz\$5)<br>near2 (code or word))     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:50 |
| S53 | 1804 | 327/141.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 13:58 |
| S54 | 10   | S53 and power and (synchroniz\$5<br>near2 (code or word))     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 14:06 |
| S55 | 155  | (synchroniz\$5 and (TD near2<br>CDMA))                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 14:08 |
| S56 | 0    | S55 and (power with locat\$3 with<br>(synchroniz\$5 or sync)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 14:15 |
| S57 | 752  | 709/248.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 14:15 |
| S58 | 540  | S57 and synchronization                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 14:16 |
| S59 | 0    | S58 and time divisional                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 14:23 |

## EAST Search History

|     |     |  |   |     |    |                  |
|-----|-----|--|---|-----|----|------------------|
| S60 | 2   | "6246735".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/07 14:23 |
| S61 | 13  | ("5596582"   "5619507"  <br>"6044277").PN. OR ("6246735").<br>URPN.  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 14:35 |
| S62 | 1   | "5638375".pn.  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:04 |
| S63 | 494 | lg.as. and (lee and jae).in.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:05 |
| S64 | 36  | lg.as. and (lee and cheol and jae).<br>in.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:10 |
| S65 | 2   | (stor\$3 or sav\$3 or accumulat\$3)<br>with I with Q with (absolute value<br>or power) with (add\$3 or sum\$4)<br>with (estimat\$3 or locat\$3) and<br>(synchroniz\$5) | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:18 |
| S66 | 27  | I with Q with (absolute value or<br>power) with (add\$3 or sum\$4) with<br>(estimat\$3 or locat\$3) and<br>(synchroniz\$5)   | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:35 |
| S67 | 2   | I with Q with (absolute value or<br>power) with (add\$3 or sum\$4) with<br>(estimat\$3 or locat\$3) with<br>(synchroniz\$5)  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:18 |
| S68 | 218 | synchroniz\$5 with power near3<br>peak   | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:35 |
| S69 | 9   | S68 and (power same (sav\$3 or<br>stor\$3 or accumulat\$3) with (add\$3<br>or sum\$4))   | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 15:41 |
| S70 | 4   | window\$1 with (tracking or<br>aquisition) with correlat\$3 with<br>((sync or synchroniz\$5) near3 (code<br>or word))  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 16:37 |
| S71 | 30  | (TD adj2 scdma) and<br>(synchronization same correlation)  | US-PGPUB;<br>USPAT;<br>USOCR                                      | ADJ | ON | 2007/02/07 16:37 |

## EAST Search History

|     |       |   |   |     |    |                  |
|-----|-------|---|---|-----|----|------------------|
| S72 | 239   | I with Q with absolute with (sum\$4 or add\$3)        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:39 |
| S73 | 9     | S72 with synchroniz\$5                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:50 |
| S74 | 42050 | (tracking or acquisition) same power                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:51 |
| S75 | 19996 | (tracking or acquisition) with power                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:51 |
| S76 | 216   | (tracking or acquisition) with power with correlation | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:54 |
| S77 | 2     | S76 with (add\$3 or sum\$4) same absolute             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:52 |
| S78 | 0     | S76 and (TD adj2 CDMA)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:54 |
| S79 | 0     | S76 and (TD adj2 sCDMA)                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 07:54 |



## EAST Search History

|     |        |  |   |     |    |                  |
|-----|--------|--|---|-----|----|------------------|
| S80 | 67     | S76 and (Time division or GMS)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:04 |
| S81 | 5066   | circular buffer  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:04 |
| S82 | 452989 | S81 and synchronization or acquisition or tracking                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:04 |
| S83 | 2592   | S81 and (synchronization or acquisition or tracking)                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:05 |
| S84 | 175    | S83 and (time division or GSM)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:05 |
| S85 | 3      | S84 and (power near3 (profile or distribution))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:06 |
| S86 | 673    | location with (search or locat\$3) with ((sync or synchroniz\$5) near3 (word or code)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:07 |
| S87 | 10     | S86 with (power or energy)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 08:07 |

## EAST Search History

|     |     |  |   |     |    |                  |
|-----|-----|--|---|-----|----|------------------|
| S88 | 797 | TD-SCDMA   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 11:23 |
| S89 | 32  | S88 and cell search  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 14:34 |
| S90 | 2   | "6005854".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 12:38 |
| S91 | 37  | demodulator with correlation with<br>((sync or synchroniz\$5) near2 (code<br>or word)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 14:35 |
| S92 | 39  | ((TD adj2 SCDMA) or (TDD adj2<br>CDMA)) and (synchronization with<br>correlation)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 16:22 |
| S93 | 2   | "5455822".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 15:10 |
| S94 | 2   | 09/805530  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 16:22 |
| S95 | 0   | 09/805530 and circular buffer  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 16:22 |

## EAST Search History

|     |     |  |   |     |    |                  |
|-----|-----|--|---|-----|----|------------------|
| S96 | 2   | 09/805530 and circular   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 16:41 |
| S97 | 384 | (benefit or advantage) same<br>(circular near2 (buffer or register)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 16:42 |
| S98 | 289 | (benefit or advantage) same<br>(circular near2 (buffer))             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/02/08 16:42 |